

HyperCuP - Hypercubes, Ontologies and Efficient Search on Peer-to-peer Networks

Mario Schlosser^{1*}, Michael Sintek², Stefan Decker³, and Wolfgang Nejdl¹

¹ Stanford University, Stanford, USA
schloss,nejdl@db.stanford.edu

² German Research Institute for Artificial Intelligence, Kaiserslautern, Germany
sintek@dfki.uni-kl.de

³ Information Sciences Institute/USC, Marina del Rey, USA
stefan@isi.edu
<http://p2p.semanticweb.org>

Abstract. Peer-to-peer networks are envisioned to be deployed for a wide range of applications. However, P2P networks evolving in an unorganized manner suffer from serious scalability problems, limiting the number of nodes in the network, creating network overload and pushing search times to unacceptable limits. We address these problems by imposing a deterministic shape on P2P networks: We propose a graph topology which allows for very efficient broadcast and search, and we describe a broadcast algorithm that exploits the topology to reach all nodes in the network with the minimum number of messages possible. We provide an efficient topology construction and maintenance algorithm which, crucial to symmetric peer-to-peer networks, does neither require a central server nor super nodes in the network. Nodes can join and leave the self-organizing network at any time, and the network is resilient against failure. Moreover, we show how our scheme can be made even more efficient by using a global ontology to determine the organization of peers in the graph topology, allowing for efficient concept-based search.

1 Introduction

Peer-to-peer networks are envisioned to find a broad range of applications, moving way beyond their current applications as infrastructure for file sharing and exchange such as in Gnutella or Morpheus [1]. For example, P2P networks for Semantic Web Services can be used to provide distributed access to these services without requiring a central service directory [2]. [3] uses a global service ontology which enables efficient service discovery and composition of web services. However, a fundamental building block of large-scale P2P networks is still missing: scalability. In almost all P2P networks requests for services use flooding algorithms which are based on inefficient broadcast mechanisms. We achieve efficiency by organizing peers in a P2P network into a graph structure based on hypercubes in our system HyperCuP (Hypercube P2P) which we describe in

* Work done while authors were at Stanford University.




Fig. 1: a. Hypercube graph b. Serialized notation (links incomplete)

this paper. Section 2 describes the graph topology and its suitability for efficient broadcast and search. Section 3 presents a distributed algorithm which is capable of maintaining the graph structure efficiently, and elaborates the algorithm on a detailed example. In Section 4, we further extend this infrastructure by sketching the use of ontologies for partitioning the network. We briefly discuss related work in Section 5 and conclude in Section 6.

2 A Hypercube P2P Topology

Scaling a P2P network to a large number of peers while maintaining certain properties such as low network diameter requires controlling the evolution of the network topology upon peer joins and departures. We organize peers in a P2P network into a hypercube (or, more general, a Cayley graph) topology.

2.1 Organizing Peers into a Hypercube Graph

Figure 1a depicts a hypercube for a base $b = 2$, a topology that has been studied before in the area of multiprocessor machines [4], but under different assumptions. A complete hypercube graph consists of $N = b^{L_{max}+1}$ nodes and is defined by the fact that all nodes have $(b - 1) \cdot (L_{max} + 1)$ neighbors, $(b - 1)$ in each 'dimension' - where $L_{max} + 1$ is essentially the number of dimensions spanned by the cube (in Figure 1, the cube has three dimensions, and L_{max} is 2). The network diameter, defined as the shortest path between most distant nodes in terms of node hops, is $\Delta = \log_b N$. As visible, this structure is symmetric, i.e. no node incorporates a more prominent position than others. This is crucial for load balancing in the network: Every node can become the source of a broadcast (the root of a spanning tree of the network), yet the load will always be shared equally. The topology provides redundancy - its connectivity (the minimum number of nodes to be removed in order to partition the graph) is optimal, i.e. equal to $nodedegree - 1$. Power-law networks such as Gnutella can easily be partitioned by bringing down highly connected nodes in the network through denial of service attacks, the hypercube topology is far less vulnerable to such attacks. The hypercube base b can be chosen to adjust the network diameter and node degree. Note at this point that the construction algorithm that will be described in Section 3.1 works well with node numbers that are not equal to those in complete hypercubes, allowing for any number of peers in the network. To describe the topology of a graph $G = (V, E)$, we state some definitions.

In the following, we will deal with hypercubes with a binary base for brevity. (Refer to [5] for an extension to bases $b > 2$.) Edges in the graph are labeled: Node Y is dubbed i -neighbor of node X or $Y = iN(X)$ iff node Y is X 's neighbor in dimension i . For example, in Figure 1, node 5 is the 2-neighbor of node 4. Node 5 is also dubbed 4's neighbor in dimension 2. Edges in the graph are undirected, i.e. node 4 is also 5's 2-neighbor. A node can have extended neighbors $Y = N(X) = \{x_0, x_1, \dots\}(X)$, where N is termed neighbor link set, and it denotes the sequence of i -neighbors one would have to follow in the complete hypercube graph to reach node Y from node X and vice versa. In our example, the neighbor link set $\{0, 1\}$ leads from node 1 to node 7 and back, i.e. $1 = \{0, 1\}(7)$ and $7 = \{0, 1\}(1)$. Edge labels start at $i = 0$. The maximum dimension of a node is termed L_{max} . A node associates each of its neighbors with a link set and a transport network address.

2.2 Broadcast and Search Algorithm

Based on this terminology, we can define a broadcast scheme which guarantees that the set of nodes traversed strictly increases during a forwarding process, i.e. nodes receive a message exactly once. It is guaranteed that exactly $N - 1$ messages are required to reach all nodes in a topology. Furthermore, the last nodes are reached after $\log_b N$ forwarding steps. Any node can be the origin of a broadcast in the network, satisfying a crucial requirement. The algorithm works as follows: A node invoking a broadcast sends the broadcast message to all its neighbors, tagging it with the edge label on which the message was sent. Nodes receiving the message restrict the forwarding of the message to those links tagged with higher edge labels. As an example, refer to the serialized notation of the network graph in Figure 1b (for clarity, only the links used in the example are depicted - however, one can just copy all links in 1a into this notation to arrive at the full picture): Node 0 sends a broadcast - at first to all its own neighbors, viz. nodes 4, 2 and 1. Node 4 receives the message on a link tagged as a dimension 0 link, i.e. it forwards the message only to its 1- and 2-neighbors, namely 6 and 5. At the same time, node 2 which has received the message on a dimension 1 link forwards it to its 2-neighbor, node 3. In the third forwarding step, node 6 relays the message to node 7, again its 3-neighbor. The characteristic path length [5] in this scheme can be calculated as $L = \frac{1}{L-1} \cdot \sum_{i=1}^{\log_b N} \frac{(b-1)^{\log_b N - i + 1}}{(\log_b N - i)!} \cdot \prod_{j=0}^{\log_b N - i} (i + j)$ which is about $0.5 \cdot \log_b N$. A search in a hypercube is essentially a broadcast with a time-to-live, i.e. a broadcast with a limited scope. It also has a monotonically increasing neighbor set which means that the maximum number of nodes is reached with a given number of messages.

3 Building and Maintaining Hypercube Graphs

In the following, we outline a distributed algorithm which allows nodes to build a hypercube topology. Here, the major challenges in P2P networks are as follows: To maintain network symmetry, crucial for P2P networks, any node in




Fig. 2: Network Topology Construction

the network should be allowed to accept and integrate new nodes into the network. Furthermore, joining and leaving the network are to consume a reasonable amount of message transmission to limit the traffic imposed on the transport network. Clearly, a joining node should not have to register with all nodes in the network, i.e. we would like the protocol to beat a message number of $O(n)$ for node joins and removals.

3.1 Topology Construction and Maintenance Algorithm

In the following, we will describe our construction and maintenance of a hypercube P2P topology. The formal description of the algorithm and a proof of its completeness can be found in [5]. The algorithm can be used to build a general class of graphs, the so-called Cayley graphs [6]. Hypercubes are Cayley graphs, as well as a graph called star graph [6] which features even better (sub-logarithmic) properties than a hypercube. Yet, the algorithm can be more easily explained with hypercubes, hence we focus on them through the course of this paper. We will walk through an example by having 9 peers joining a network, and one peer leaving during the process, to elaborate the basic idea of the construction and maintenance algorithm. The construction and maintenance algorithm is based on the notion that nodes in an evolving hypercube graph take over responsibility for more than one position in the hypercube. The idea is to have the hypercube topology of the next biggest complete hypercube graph already implicitly present in the current topology state, i.e. in the link sets of all participating nodes. Upon arrival of new nodes, the complete hypercube topology unfolds as needed. Upon removal of nodes, other nodes jump in to cover the positions previously covered by the node that left the topology, prepared to give these positions up again as new nodes join. Since the complete hypercube topology is implicitly preserved, the broadcast and search algorithms do not have to change either - still, every peer receives a broadcast message exactly once.

Start. At the beginning, only peer 0 is active.

Step a. Peer 0 is contacted by node 1 which wants to join the P2P network. Peer 0 integrates peer 1 as 0-neighbor since it does not currently have any other neighbor: The peers establish a link between each other which is tagged with the neighbor set $\{0\}$, as depicted in Figure 2. Generally, a peer integrates a joining peer in its first vacant dimension, the dimensions are ordered such that lower dimensions always come first.

Step b. Peer 2 contacts one of the two peers (here, we assume that it contacts peer 1) to join the network. The first vacant dimension of peer 1 is 1 since it already maintains a 0-neighbor, peer 0. Essentially, peer 1 opens up a new




Fig. 3: Network topology construction continued

dimension for the hypercube, as depicted in Figure 2b. Peer 1 becomes the so-called integration control node for the complete integration of peer 2 into the network: It is responsible for providing peer 2 with all necessary links - at the end of the integration process, peer 2 has to have neighbor links connecting it all currently existing dimensions, in order to be able to carry out complete broadcasts. Since peer 1 currently has two neighbors, a 0- and a 1-neighbor, it knows that it has to provide peer 2 with a 0- and a 1-neighbor, too. Peer 1 itself has become peer 2's 1-neighbor. Since there is currently no alternative, peer 1 selects peer 0 as the new 0-neighbor for peer 2. However, peer 0 can only become a temporary 0-neighbor for peer 2 because it already has another 0-neighbor, namely peer 1 - and we said before that a peer can only have one neighbor per dimension. Essentially, peer 0 now covers a vacant position in the hypercube, i.e., it acts as if it occupies two positions in the hypercube, as depicted by the thin copy of peer 0 in Figure 2c. To mark the link between peers 2 and 0 as temporary relationship, it is tagged with the link set $\{0, 1\}$ (instead of $\{0\}$): This link set denotes the path from peer 2 via the position at which the link set is originally aiming to peer 0, the peer which currently covers this position. (This path is also well visible in Figure 2c.) Temporary link sets are always constructed by this rule.

Step c. Peer 3 wants to join the network. We compare three cases, viz. peer 3 contacting peer 0, 1 or 2 to join the network. In case peer 3 contacts peer 0 to join, peer 0 follows the general rule to integrate the peer in its first vacant dimension - which is 1, since peer 0 has a 0-neighbor, but no 1-neighbor. As its new 1-neighbor, peer 3 will now cover the temporary position that peer 0 used to maintain in the hypercube: Hence peer 0 can pass on links that are associated with this position to peer 3. Due to the construction rule of edge labels for temporary link sets, peer 0 is able to determine that link $\{0, 1\}$ to peer 2 is a link that is to be passed on to peer 3. Peer 3 then establishes a link tagged by link set $\{0\}$ to peer 3, as depicted in Figure 2d. In case peer 3 contacts peer 2 to join, peer 2 decides to integrate peer 3 as its new (and non-temporary) 0-neighbor. However, it does not carry out the integration itself: Since peer 0 currently covers the position that will soon be occupied by peer 3, the integration control responsibility has to be forwarded to peer 0. Peer 2 can do so via peer 0. Note that it is always possible for peers in the network to reach the node to which they have to forward the control integration, if necessary, in one hop. We prove this in [5]. Peer 0 carries out the integration just as described above, arriving at Figure 2d. In case peer 3 contacts peer 1, peer 1 will integrate peer




Fig. 4: Network topology construction continued

3 in dimension 2, i.e., it opens up a new dimension for the hypercube. This leads to a momentary imbalance in the hypercube with some peers maintaining more links than others. To preserve network balance, joining nodes carry out a random walk (at maximum of length $\log_b N$) with increasing probability of choosing the currently visited node as integration champion. Simulations show that e.g. power-law join behavior observed in Gnutella-style networks leads to a fairly balanced network using this technique.

Step d. Peer 4 arrives and contacts peer 0. Now, the network crosses a threshold - a hypercube with 2 dimensions cannot accommodate 5 peers, hence a third dimension is opened up. Peer 0 integrates peer 4 in its first vacant dimension as its new 2-neighbor. Peer 4 needs 3 neighbors, one in each dimension - but neither peer 0's 1-neighbor, peer 3, nor peer 0's 0-neighbor, peer 1, are linked to their own 2-neighbor which they could provide as a new neighbor to peer 4. Thus, peer 3 acts as temporary 1-neighbor for peer 4, whereas peer 1 acts as temporary 0-neighbor for peer 4, indicated once again by the link sets $\{0, 2\}$ and $\{1, 2\}$ among these peers (see Figure 3b). Figure 3a shows the existing peers in the network in bold style and the positions that are additionally covered by them in thin style. Once again, note that the positions that are additionally covered by peers determine the temporary connections the peers have to maintain, plus their edge labels. Figure 3a also demonstrates another basic rule: Peers that are 'closest' to a vacant position in the hypercube structure are always chosen to cover it. Here, 'closest' means that the peer in the highest dimension to a vacant position covers it. (In the more complicated case when a peer has to cover several positions, a peer covers the power set of its vacant dimensions.) Among the other peers in the network, adding another dimension to the graph means the multiplication of existing links, too: For example, peers 1 and 2 could now both integrate 2-neighbors, which would then be linked in dimension 1. Thus, they tag their already existing $\{1\}$ link additionally as $\{1, 2, 2\}$ link. So do peers 2 and 3 with their already existing $\{0\}$ link.

Step e. Peer 1 is contacted to integrate the newly arriving peer 5. Peer 1 is still lacking a 2-neighbor, thus peer 5 will be integrated on this position (Figure 3d). Now, peer 1 can get rid of its $\{1, 2, 2\}$ link to peer 2: It is moved to peer 5. However, since 2 is not peer 5's final 1-neighbor either, the link stays temporary: Peers 2 and 5 now maintain a $\{1, 2\}$ link among them. Peer 5 takes over peer 1's temporary $\{0, 2\}$ link to peer 4, which still lacks its final 0-neighbor. It has found one now, namely peer 5.




Fig. 5: Network topology construction continued

Step f. Let us assume that peer 0 suddenly leaves the network. In the maintenance protocol, it is obliged to carry out a peer removal process: Basically, it decides which existing peers that it knows will be chosen to take over responsibility for the positions it gives up. In our example, peer 0 leaves only one position vacant, its original position in the graph - however, a node which covers multiple positions will have to find successors for each of its positions in the graph. Peer 4 takes over peer 0's position, establishing temporary links to the former neighbors of peer 0, peers 1 and 3. Figure 4a shows the new distribution of covering responsibilities, Figure 4b depicts the link structure that arises from this network state.

Step g. Peer 4 is contacted by peer 6 and decides to integrate it as its new 1-neighbor. This position is currently covered by peer 3, hence peer 4 forwards the integration control to peer 3, just as described in step c. In the example, all temporary links that are currently owned by peer 3, but originally belong to the new position of peer 6, are restored and passed on to peer 6. Additionally, peer 3 integrates peer 6 as its new 2-neighbor, arriving at Figure 4d.

Step h. Peer 6 is contacted by peer 7, leading to peer 7's integration as peer 6's new 0-neighbor. Figure 5a and Figure 5b depict the state of the network: Almost all positions of a complete hypercube graph with 3 dimensions are held by active peers, only peer 4 still covers two positions in the hypercube. What if several peers want to join the network simultaneously? We are currently working on turning our protocol into a real-time protocol, dealing with simultaneous node joins and departures. For example, parallel joins can be executed easily when join actions are time-stamped. We have also implemented the protocol on a JXTA-based P2P infrastructure [7] [8] and we are extending the implementation into a JXTA-based test platform for P2P overlay protocols.

Step i. On integrating peer 8, peer 4 pushes its links $\{1, 2\}$ and $\{0, 2\}$ to its new 2-neighbor, arriving at a complete hypercube topology again.

Link failures. A link failure in the network leads to a node's immediate departure from the P2P topology, not being able to send any departing messages. If that happens, the topology must be able to recover and head back to a normal state. In the hypercube graph, we can always recover from a sudden node loss. The procedure can be found in detail in [5]: The node that is closest to the vanished node (in terms of a metric we call graph hop distance which uses the dimension order to compute a distance value between positions in the hypercube) contacts the vanishing node's neighbors by asking its own neighbors for them.

The node then carries out the node departure routine on behalf of the vanished node.

3.2 Complexity

Assuming a relatively balanced graph structure, the algorithm as described above yields an $O(\log_b N)$ complexity in terms of messages that have to be sent in order to join or leave the network. More precisely, this holds when there are only nodes in the graph that have $\lfloor \log_b N - 1 \rfloor$ or $\lfloor \log_b N \rfloor$ non-missing dimensions. Note that this allows for any number of nodes in the graph. To arrive at this complexity order, the algorithm uses optimizations not explained in detail in the walk-through in Section 3.1. For example, if a new hypercube dimension is opened up by integrating an additional peer (as has happened above in step d), this information is not broadcasted to all peers in the network - instead, it is propagated only when necessary, i.e. once again when nodes communicate on the issue of removing or integrating a peer. Networks that reach a large number of nodes can scale down again to a small number of nodes (as long as this takes place relatively balanced, see Section 3): Higher dimensions that are added during the construction process are removed again if no peer in the network has any neighbor in a dimension any more. Once again, this information is not broadcasted in the network but locally inferred by every peer by observing its set of neighbor link sets it maintains.

4 Ontology-based Routing

A HyperCuP empowered P2P network features good scalability and search times. However, in the case of Semantic Web applications such as Semantic Web Services, additional knowledge is available that can be used to further improve the P2P network performance: Oftentimes, information or services that peers are able to provide can be categorized as belonging to general concepts. Concepts can in turn be organized in a (global) ontology which defines the relationships between existing concepts. In the following, we describe which role ontologies play in the domain of Semantic Web Services and how they can be used to improve the search properties of a P2P service network.




Fig. 6: Service ontology and domain ontology




Fig. 7: a. Concept hypercube topology b. Routing example

4.1 Ontologies and Semantic Web Services

An ontology [9] is a shared formalization of a conceptualization of a domain, to state a popular definition. In the Semantic Web, ontologies are used to assign commonly agreed upon semantics or interpretation to particular concepts. Semantic Web Services can be described by using various ontologies in parallel, augmenting a service ontology (see an example in Figure 6a) by domain ontologies (e.g. as in Figure 6b). A car retailer Web Service would describe itself by combining concepts from the service ontology with concepts from the car domain ontology, for example $C \wedge G \wedge I$. Semantic Web research has spawned many results on the design of and distributed negotiation on such ontologies which can well be reused to create service and domain ontologies, also in the domain of Semantic Web Services [10].

4.2 Ontology-based Network Organization

Ideally, the P2P service network should allow for issuing a query to be sent to exactly those peers that can potentially answer the query. For example, a query $B \wedge I \wedge \neg G$ is to be broadcasted among those peers that buy vans, but are not interested in trucks. To allow for such broadcast containment, we introduce concept clusters into the hypercube network topology as described in Section 2: Peers with identical or similar interests or services are grouped in concept clusters which are in turn assigned to a specific logical combination of ontology concepts that describes best the peers belonging to the cluster. These concept clusters are organized into a hypercube topology to enable routing to specific concept clusters in the topology. Concept clusters themselves, too, are hypercubes or star graphs (the construction algorithm is capable of 'mixing' different Cayley graph topologies).

Concept coordinates. These coordinates address a concept cluster on the 'outer' hypercube. A set of structuring concepts is chosen to build this hypercube (see Section 4.4). A structuring concept is contained in one of the ontologies that are available to describe Web services participating in the network, i.e. in the service or domain ontologies. Each selected structuring concept is represented by a single ontology coordinate whose binary value in a concept cluster address reflects the support of peers in the addressed concept cluster for the respective structuring concept.

Storage coordinates. A concept cluster will contain more than one peer. Hence an additional address space is needed to accommodate multiple peers within a concept clusters. Storage coordinates denote the location of a peer within a specific concept cluster on the selected storage topology. Concept clusters form sub-graphs of the 'outer' ontology-based hypercube - however, their internal topology can be based on hypercubes, star graphs or any other Cayley graph topology.

4.3 Routing and Broadcast

Querying the network works in two routing steps: First, the query is propagated to those concept clusters that contain peers which the query is aiming at. Second, a broadcast is carried out within each of these concept clusters, optimally forwarding the query to all peers within the clusters. This involves shortest-path routing in the concept coordinate system as well as restricted broadcast in the concept and storage coordinate systems.

Query minimization. A query that is issued by a peer undergoes logic minimization (e.g. Karnaugh minimization) to identify its logical minterms (conjunctions of structuring concepts). Minterms denote a group of concept clusters. All concept clusters pointed to by a single minterm are direct neighbors of each other in the network topology. Figure 7a depicts the 'outer' concept hypercube of a network that is organized by structuring concepts A, D, E and F from the ontologies in Figure 6. The query $E \vee A \wedge D$ consists of minterms E as well as $A \wedge D$ and asks for some peer that is a wholesale service or a combined retail and delivery service.

Minterm analysis. Distinct minterms resemble distinct groups of concept clusters in the network. To each of these groups, one copy of the query message has to be delivered to enable them to carry out broadcasts within the group. These groups may overlap or are adjacent. Figure 7a depicts the 4-dimensional concept hypercube that is created by using concepts A, D, E and F as structuring concepts. Each node in the network represents a concept cluster (for example, node 0101 represents the concept cluster containing peers which are motor vehicle retailers). However, note that not all clusters will actually be built: The outer hypercube will only be complete in the case of a flat ontology, i.e. a keyword list. In all other cases, is-a relations prohibit the conjunction of certain concepts. The corresponding clusters will never be built, the clusters will be interconnected in the usual HyperCuP way as described in Section 3.1. The two minterms in our query are associated with two (overlapping) groups of concept clusters, highlighted in Figure 7a.

Routing to concept clusters. A copy of the broadcast message is delivered to each concept cluster addressed in the query. If queries span groups of concept clusters, this can be accomplished by carrying out restricted broadcasts in the concept coordinate system. Figure 7b depicts the broadcast steps that are executed in order to inform all concept clusters addressed by the query $E \vee A \wedge D$. The broadcast algorithm modifies the algorithm described in Section 2.2: A concept cluster group associated with a minterm is described by the set

of dimensions in which it exists (directly associated with the concepts it supports). Broadcast is carried out only in those dimensions and branches out into additional dimensions at peers which belong to more than one minterm or are adjacent to peers belonging to another minterm. In order to start the broadcast, the broadcast message has to reach any peer within the concept cluster group - this is achieved by shortest-path routing from the querying peer to the closest peer in the group (by correcting one address bit in each routing step).

Broadcast in concept clusters. All informed concept clusters broadcast the query message among all their member peers. Broadcasting is carried out in the storage coordinate system, restricting it to the peers that belong to the broadcasting concept cluster.

Peer feedback. Once the query message has arrived at a peer, the peer is able to react to the message - for example, by contacting the issuer of the query in order to establish a business relationship.

4.4 Topology Construction

Peers can join the ontology-based topology by contacting any peer already in the network. The peer reveals its capabilities in terms of concepts contained in any of the available global ontologies, and it is to be integrated in the concept cluster matching its description. If the peer describes itself with concepts that are not used as structuring concepts in the network, it is integrated in the most specific existing concept cluster. A join message is then routed to any peer in this cluster, using shortest-path routing. The contacted peer then integrates the new peer into the concept cluster using precisely the algorithm described in Section 3.1. Although it is possible to select all concepts contained in available service and domain ontologies as structuring concepts, it is reasonable to choose a subset as structuring concepts upfront which are empirically expected to be frequently used in peer descriptions. We are currently experimenting with an algorithm which chooses structuring concepts on the fly during network operations.

5 Related Work

Making P2P networks scalable has recently received much attention. Distributed hash table approaches [11] such as CAN [12] and Chord [13] aim at enforcing a deterministic content distribution instead which can be used for routing point queries. While similar in terms of message complexity for joining and departing nodes, our approach specifically performs well at optimizing the network load in broadcast and multipoint search, without requiring hash functions, and allows for more detailed queries, viz. logical combinations of ontology concepts. [14] constructs an efficient P2P topology, yet does not provide means of clustering peers with similar capabilities. Building a Semantic Service Web on a P2P infrastructure is opposed to centralized approaches such as UDDI [2]. Automated composition and verification of Semantic Web Services is addressed in [10], building on the service description framework DAML-S [3]. Our approach facilitates service discovery as a major building block of automated service composition.

6 Conclusion

We have presented a topology to efficiently cluster peers in a P2P network which features efficient broadcast and search algorithms without any message overhead during broadcast, logarithmic network diameter, and resiliency towards node failure. Super peers or central servers are not required. A set of globally known ontologies is used to categorize peers as providers of particular services to efficiently route and broadcast queries. Organizing peers in this manner allows for enhancing Semantic Web Services technology with the flexibility and dynamics of P2P networks while ensuring scalability to a large number of nodes.

References

1. Gnutella website: www.gnutella.com. (2002)
2. White paper: UDDI. (2002) available at www.uddi.org.
3. Martin, D., et al.: DAML-S: Semantic Markup for Web Services. (2001) White paper, available at www.daml.org/services/daml-s.
4. Johnsson, S.L., Ho, C.T.: Optimum Broadcasting and Personalized Communication in Hypercubes. *IEEE Transactions on Computers* **38** (September 1989) 1249–1268
5. Schlosser, M., Sintek, M., Decker, S., Nejdl, W.: HyperCuP. (April 2002) Technical Report, Stanford University.
6. Akers, S.B., Krishnamurty, B.: A group-theoretic model for symmetric interconnection networks. *IEEE Transactions on Computers* **38** (April 1989) 555–566
7. Nejdl, W., et al.: EDUTELLA: A P2P Networking Infrastructure based on RDF. In: Proceedings of the 11th World Wide Web Conference. (May 2002)
8. White paper: Project JXTA: An open, innovative collaboration. (2002) available at www.jxta.org.
9. Uschold, M., Gruninger, M.: Ontologies: Principles, Methods and Applications. *Knowledge Engineering Review* **11** (1996)
10. McIlraith, S., Son, T., Zeng: Semantic Web Services. *IEEE Intelligent Systems. Special Issue on the Semantic Web* **16** (March/April 2001) 46–53
11. S. Ratnasamy, S.S., Stoica, I.: Routing Algorithms for DHTs: Some Open Questions. In: Proceedings of 1st International Workshop on P2P Systems. (March 2002)
12. Ratnasamy, S., Francis, P., Handley, M., Karp, R., Shenker, S.: A scalable content-addressable network. In: Proceedings of ACM SIGCOMM. (August 2001)
13. Stoica, I., et al.: Chord: A scalable P2P lookup service for internet applications. In: Proceedings of ACM SIGCOMM. (August 2001)
14. Pandurangan, G., Raghavan, P., Upfal, E.: Building low diameter P2P networks. In: Proceedings of the 42nd Annual IEEE Symposium on the Foundations of Computer Science. (2001)